ISSN: 3048-6580

AgroPedia
e - Publication for Agriculture Popular Articles
Volume: 03, Issue: 11 (November, 2026)
Available online at: **https://www.agropedia.co.in**

The Yeast: A Versatile Microbial Resource for Modern Industries

Lini Thomas, Bhavya S B, Fathimath Hina, Muhammad Jasim, Sidharth Sunil and **Thanseeha Sherin**

College of Agriculture Vellayani, Kerala Agricultural University

**Corresponding author - linipthomas04@gmail.com*

Abstract

Yeasts are unicellular fungi with a long history of use in food production and fermentation. Their metabolic versatility, rapid growth and amenability to cultivation and genetic modification have made them important organisms in food and beverage processing, industrial biotechnology, pharmaceutical production and environmental applications. *Saccharomyces cerevisiae* is among the most widely used industrial yeasts because of its established role in fermentation and its extensive history of use in food-related processes. Yeast biomass is also investigated as a source of single-cell protein, while engineered yeast strains are being developed to produce valuable proteins, enzymes, biofuels and specialty chemicals. This article reviews the major applications of yeasts in brewing, nutrition, baking, bioethanol production, pharmaceuticals and environmental biotechnology, and considers their potential contribution to a more sustainable bio-based economy.

Introduction

Yeasts are unicellular fungi that occur in a wide range of natural habitats, including fruits, flowers, soil and other organic materials. Many species reproduce asexually by budding or fission, although their reproductive characteristics vary among groups. Their ability to use sugars and other carbon sources, together with their diverse metabolic pathways, makes them useful in several traditional and modern industries. In alcoholic fermentation, for example, suitable yeasts convert fermentable sugars into ethanol and carbon dioxide.

Saccharomyces cerevisiae, commonly known as baker's or brewer's yeast, is one of the best-studied and most widely used microorganisms in industrial biotechnology. Its applications extend beyond baking and beverage production to include bioethanol manufacture, enzyme production and the expression of recombinant proteins.

Other yeasts, including *Candida utilis* (also referred to as *Cyberlindnera jadinii*), *Kluyveromyces marxianus* and *Yarrowia lipolytica*, are valuable in particular bioprocesses because of their distinct nutritional and metabolic properties.



Figure 1. Illustrative microscopic-style image of budding yeast cells.

Yeast in the Brewing Industry

Brewing is one of the oldest applications of microbial biotechnology. During fermentation, yeast metabolises fermentable sugars present in malted grains and produces ethanol, carbon dioxide and a range of secondary metabolites. These products contribute not only to fermentation but also to the aroma, flavour and sensory characteristics of the finished beverage. The overall conversion of glucose can be represented by the simplified equation:

$$C_6H_{12}O_6 \rightarrow 2\,C_2H_5OH + 2\,CO_2 + \text{energy}$$

Two broad groups of brewing yeasts are commonly distinguished. Ale fermentation generally uses *Saccharomy cescerevisiae*, while lager production commonly uses *Saccharomyces pastorianus*. These yeasts differ in their fermentation characteristics and in the flavour compounds they produce. Ale fermentations are often associated with more pronounced fruity esters, whereas lager fermentations are generally associated with a cleaner flavour profile. Examples of ale styles include pale ale, India pale ale, stout and porter, while Pilsner, Helles and Bock are examples of lager styles. The precise characteristics depend on the strain and the overall production process.

The brewing industry depends on reliable yeast cultures to maintain fermentation performance and product consistency. Strain selection, culture maintenance and process monitoring are therefore important parts of industrial production. Research into yeast diversity and strain improvement has also helped identify strains with useful fermentation characteristics and tolerance to industrial stress conditions.



Figure 2. Illustrative image of stainless-steel fermentation vessels used in industrial brewing.

Yeast as a Source of Single-Cell Protein

Single-cell protein (SCP) refers to protein-rich microbial biomass that can be processed for use in human food or animal feed. Yeasts are suitable candidates for SCP production because they can grow rapidly under controlled conditions, provide substantial protein in their dry biomass and utilize a variety of relatively inexpensive substrates. Depending on the species and cultivation conditions, yeast biomass commonly contains approximately 40–60% protein on a dry-weight basis. It may also provide essential amino acids, B-group vitamins, minerals and other nutrients; the exact composition varies with the organism, growth medium and processing method.

Yeasts used in SCP production include S. *cerevisiae, C. utilis / Cyberlindnera jadinii, K. marxianus* and *Y. lipolytica*. Yeast-derived

biomass has been studied and used as a component of poultry, aquaculture, cattle and pet feeds. In human nutrition, inactive nutritional yeast is marketed in forms such as flakes and powders and can be incorporated into selected food products. Its nutritional value makes it a useful ingredient, although suitability for a particular food or feed application must be assessed for the specific product and production process. An additional advantage of yeast SCP production is the possibility of using agro-industrial by-products as feedstocks. Depending on the yeast species and pretreatment requirements, materials such as molasses, whey and selected agricultural or food-processing residues can serve as substrates. Converting suitable residual materials into microbial biomass can improve resource utilisation and reduce the amount of organic waste requiring disposal.



Figure 3. Illustrative image of nutritional yeast flakes.

Industrial Applications of Yeast

Bioethanol production

Yeasts, particularly *S. cerevisiae*, are important microorganisms in the production of bioethanol, a renewable fuel that can be obtained from sugar-rich feedstocks such as sugarcane and corn. Research is also focused on using sugars released from lignocellulosic biomass, including agricultural residues. The conversion of non-food biomass is more challenging because the material must first be processed to release fermentable sugars, and conventional *S. cerevisiae* strains do not efficiently ferment every sugar present in some hydrolysates. Consequently, strain engineering and process development are active areas of research.

Bioethanol can contribute to renewable energy supply and may reduce life-cycle greenhouse-gas emissions when produced from suitable feedstocks and managed through efficient processes. The overall environmental benefit depends on factors such as feedstock cultivation, land use, processing energy and transport; it should therefore not be assumed that every bioethanol pathway has the same environmental performance.

Baking industry

The baking industry relies on yeast fermentation to leaven dough. During fermentation, yeast metabolises available sugars and releases carbon dioxide. The gas becomes trapped within the elastic dough structure, causing it to expand and contributing to the soft, porous texture of baked products.

Yeast is therefore widely used in the manufacture of bread, buns, pizza bases and other bakery products. Fermentation also generates flavour compounds that contribute to the characteristic aroma of baked foods.



Figure 4. Illustrative image of yeast-leavened bread dough.

Production of industrial enzymes

Yeasts are used in the production of enzymes for food processing, detergents and biotechnology. Examples of enzymes associated with yeast-based production systems include invertases, lipases, proteases and amylases. These enzymes catalyse reactions that are useful in processes such as sugar conversion, modification of fats, protein processing and starch breakdown. The choice of production organism depends on the enzyme required, its properties and the conditions of the intended industrial process.

Pharmaceutical and Biotechnological Applications

The ability to manipulate yeast genetically has made it an important host for recombinant protein production. Yeast expression systems can grow to high cell densities in controlled fermentation systems and can be genetically modified to express selected proteins. *Saccharomyces cerevisiae*, for example, has been used to produce recombinant insulin and hepatitis B surface antigen, which is an important component used in recombinant hepatitis B vaccines. Other therapeutic proteins, including human growth hormone and interferons, have also been investigated in yeast expression systems. The suitability of yeast for a particular therapeutic product depends on protein structure, processing requirements, product quality and regulatory approval.

Yeast-based production platforms are valued for their comparatively straightforward cultivation, well-characterised genetics and scalability. However, yeast cells do not perform every post-translational modification in the same way as mammalian cells. Therefore, the host system must be selected according to the properties and intended use of the recombinant product.

Production of Nutraceuticals

Yeasts are also used to produce or supply ingredients for nutraceutical and functional-food applications. Examples include β-glucans from yeast cell walls, selenium-enriched yeast and B-group vitamins. These materials are incorporated into selected food and supplement products. Their composition and permitted health claims depend on the product, evidence base and applicable regulations. Research continues to explore yeast-derived compounds and biomass as sources of nutritionally valuable ingredients.

Environmental Applications

Wastewater treatment and bioremediation

Certain yeast species have been investigated for their ability to take up, bind or transform components of wastewater. Depending on the species and environmental conditions, yeast cells may contribute to the removal of organic pollutants or selected metal ions through processes such as biosorption and bioaccumulation.

These properties have created interest in yeast-based bioremediation. However, performance

varies with wastewater composition, pH, temperature, biomass characteristics and the specific contaminant, so practical applications require careful evaluation.

Bioconversion of agricultural waste

Yeasts can convert suitable sugars and other accessible nutrients in agricultural and food-processing residues into products such as ethanol, enzymes and protein-rich biomass. When integrated with appropriate pretreatment and downstream processing, these approaches can support resource recovery and circular-bioeconomy strategies. The feasibility of each process depends on the composition of the waste material, the ability of the selected yeast to use it and the costs of processing.

Future Prospects

Developments in genomics, synthetic biology and metabolic engineering are expanding the range of products that can be made using yeast. Researchers are developing strains with improved substrate utilization, stress tolerance and production of target molecules. Potential applications include advanced biofuels, high-value chemicals, biodegradable polymer precursors and precision-fermented proteins.

Yeast-based processes are also being explored in connection with carbon utilization and sustainable aviation-fuel pathways. Many of these applications remain under development, and their commercial success will depend on process efficiency, economic feasibility, environmental performance and regulatory requirements.



Figure 5. Illustrative image of a stainless-steel bioreactor used in controlled microbial production.

Conclusion

Yeasts are versatile microorganisms with established and emerging roles across food production, industrial biotechnology, nutrition, pharmaceuticals and environmental applications. Their fermentation capabilities support brewing, baking and bioethanol production, while their biomass can serve as a source of single-cell protein. Advances in recombinant DNA technology and metabolic engineering have further expanded their use in the production of enzymes, therapeutic proteins and specialty compounds. Although challenges remain in substrate utilisation, process economics, product quality and environmental assessment, continued research is likely to strengthen the contribution of yeast-based technologies to sustainable industrial development.

Reference

Parapouli, M., Vasileiadis, A., Afendra, A.-S., & Hatziloukas, E. (2020). Saccharomyces cerevisiae and its industrial applications. AIMS Microbiology, 6(1), 1–31. https://doi.org/10.3934/microbiol.2020001

Kurtzman, C. P., Fell, J. W., & Boekhout, T. (Eds.). (2011). The Yeasts: A Taxonomic Study (5th ed.). Elsevier.

Walker, G. M., & Stewart, G. G. (2016). Saccharomyces cerevisiae in the production of fermented beverages. Beverages, 2(4), Article 30. https://doi.org/10.3390/beverages2040030

Jach, M. E., Serefko, A., Ziaja, M., & Kieliszek, M. (2022). Yeast Protein as an Easily Accessible Food Source. Metabolites, 12(1), 63. https://doi.org/10.3390/metabo12010063

Tsegaye, K. N., Alemnew, M., & Berhane, N. (2024). Saccharomyces cerevisiae for lignocellulosic ethanol production: A look at key attributes and genome shuffling. Frontiers in Bioengineering and Biotechnology, 12, 1466644. https://doi.org/10.3389/fbioe.2024.1466644

Zhao, M., Ma, J., Zhang, L., et al. (2024). Engineering strategies for enhanced heterologous protein production by Saccharomyces cerevisiae. Microbial Cell Factories, 23, 32. https://doi.org/10.1186/s12934-024-02299-z